



**DECORATIVE & OUTDOOR  
LIGHTING 2017-2018**



SYSKA LED Lights are a smart innovation in the green lighting industry. They are products that provide a simple and lasting lighting solution to the end user. Its advanced technology, energy efficiency and its durability takes it light years ahead, giving it a clear edge in today's market. Every LED light made by SYSKA LED is crafted to meet global standards.

SYSKA LED Lights not only have the right technology, but they also perform with ease. They are developed specially to optimize their output, outshining many other lights in the market. SYSKA LED Lights are superior quality products priced fairly, offering 2 years warranty.



SYSKA LED Lights offer a wide range of **garden & decorative LED Lights** of international quality, for varied applications providing reliable, effective and energy efficient lighting.

**Applicatoins:**

Gardens, parks, farm houses, lawns, theme parks, residential, office, and many indoor & outdoor lighting applications.



[LED Updown Light](#)

[Page 1-14](#)



[LED Wall Light](#)

[Page 15-22](#)



[LED Step Light](#)

[Page 23-25](#)



[LED Garden Light](#)

[Page 26-33](#)



[LED Bollard Light](#)

[Page 34-41](#)




[LED Underground Light](#)

[Page 42-43](#)



[LED Floor Light](#)

[Page 44-49](#)



[LED Fountain Light](#)

[Page 50-51](#)








SSK-3011




## SSK-3011

Available Lamp

- LED 1\*6W COB (600LM)
- Ra: >80
- Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish;






SSK-3012



## SSK-3012

Available Lamp


- LED 2\*6W COB (1200LM)
- Ra: >80
- Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish;



# UPDOWN LIGHT




**SSK-3806L**

## SSK-3806L

Available Lamp

- LED 10\*0.5W



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;




**SSK-4835**

## SSK-4835

Available Lamp

- LED 2\*3W  
(600LM)



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;






## SSK-3538-6W

Available Lamp

- LED 1\*6W COB (600LM)



SSK-3538-6W


- Die-casting aluminum lamp body;
- Opal PC diffuser;



## SSK-3537-6W

Available Lamp

- LED 1\*6W COB (600LM)




SSK-3537-6W

- Die-casting aluminum lamp body;
- Opal PC diffuser;




# UPDOWN LIGHT



## SSK-013000S

Available Lamp

- LED 3\*1W




- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;



## SSK-3000S

Available Lamp

- LED 2\*3W



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;




# UPDOWN LIGHT



## SSK-013051

Available Lamp

- LED 3\*1W COB



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- 304 stainless steel hexagon head screws



## SSK-013052


Available Lamp

- LED 1\*3W COB



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- 304 stainless steel hexagon head screws






## SSK-3041

Available Lamp



- LED CREE-COB 6W (600LM)

Ra: >80

Working Temp.: -15°C~50°C



SSK-3041




- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish



## SSK-013474

Available Lamp

- LED 1\*3W COB



SSK-013474



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- 304 stainless steel hexagaon head screws



# UPDOWN LIGHT




**SSK-3007-12W**



## SSK-3007

Available Lamp

- LED 24\*0.5W




- Die-casting aluminum lamp body;
- Tempered frosted glass diffuser;
- Powder coating finish;



## SSK-013007

Available Lamp

- LED 12\*1W



- Die-casting aluminum lamp body;
- Tempered clear glass diffuser;



**SSK-033074-12W**






## SSK-033074-12W

Available Lamp

- LED CREE - COB 1\*12W (1200LM)

Ra: >80

Working Temp.: -15°C~50°C



- Aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone gasket;
- Powder coating finish;
- Anodized aluminum reflector







## SSK-3035-8W

Available Lamp

- LED CREE - COB 8W (800LM)
- Ra: >80
- Working Temp.: -15°C~50°C



SSK-3035-8W




- Die-casting aluminum lamp body;
- Opal white PC diffuser;
- Silicone rubber gasket;
- Powder coating finish;




## SSK-3037-12W

Available Lamp

- LED CREE - COB 2\*6W (1200LM)
- Ra: >80
- Working Temp.: -15°C~50°C



SSK-3037-12W



- Die-casting aluminum lamp body;
- Opal white PC diffuser;
- Silicone rubber gasket;
- Powder coating finish;





**SSK-3036-8W**





## SSK-3036-8W

Available Lamp

- LED CREE - COB 8W (800LM)

Ra: >80

Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Opal white PC diffuser;
- Silicone rubber gasket;
- Powder coating finish;



**SSK-3038-12W**






## SSK-3038-12W

Available Lamp

- LED CREE - COB 2\*6W (1200LM)

Ra: >80

Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Opal white PC diffuser;
- Silicone rubber gasket;
- Powder coating finish;







SSK-3033-4W




## SSK-3033-4W

Available Lamp

- LED 4\*1W (360LM)
- Ra: >80
- Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish






SSK-3034



## SSK-3034-4W

Available Lamp

- LED 4\*1W (400LM)
- Ra: >80
- Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish



# UPDOWN LIGHT






**SSK-003092-16W**

## SSK-003092-16W

Available Lamp

- LED 2\*8W CREE COB (1600LM)
- Ra: >80
- Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone gasket;
- Powder coating finish;
- Anodized aluminum reflector






**SSK-013511-16W**

## SSK-013511-16W

Available Lamp

- LED CREE - COB 2\*8W (1600LM)
- Ra: >80
- Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish





**SSK-3471-6W**




## SSK-3471-6W

Available Lamp

- LED CREE - COB 1\*6W (600LM)

Ra: >80

Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone gasket;
- Powder coating finish;
- Anodized aluminum reflector



**SSK-3472-12W**




## SSK-3472-12W

Available Lamp

- LED CREE - COB 2\*6W (1200LM)

Ra: >80

Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone gasket;
- Powder coating finish;
- Anodized aluminum reflector








**SSK-3481-12W**

## SSK-3481-12W

Available Lamp

- LED CREE - COB 1\*12W (1200LM)
- Ra: >80
- Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone gasket;
- Powder coating finish;
- Anodized aluminum reflector






**SSK-3482-24W**

## SSK-3482-24W

Available Lamp

- LED CREE - COB 2\*12W (2400LM)
- Ra: >80
- Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone gasket;
- Powder coating finish;
- Anodized aluminum reflector








**SSK-3074-20W**

## SSK-3074-20W

Available Lamp

- LED CREE - COB 1\*20W (2000LM)
- Ra: >80  
Working Temp.: -15°C~50°C



- Aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone gasket;
- Powder coating finish;
- Anodized aluminum reflector






**SSK-3094-30W**

## SSK-3094-30W

Available Lamp

- LED CREE - COB 2\*15W (3000LM)
- Ra: >80  
Working Temp.: -15°C~50°C



- Aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone gasket;
- Powder coating finish;
- Anodized aluminum reflector




# WALL LIGHT




**SSK-3301L-9W**




**SSK-3302L-9W**




**SSK-3301L**



**SSK-3302L**



**SSK-3303L**



**SSK-3304L**



**SSK-3303L-9W**



**SSK-3304L-9W**

### Available Lamp

- LED 18\*0.5W

- Die-casting aluminum lamp body;
- Opal white PC diffuser;




**SSK-3301S-5W**




**SSK-3302S-5W**




**SSK-3301S**



**SSK-3302S**



**SSK-3303S**



**SSK-3304S**



**SSK-3303S-5W**



**SSK-3304S-5W**

### Available Lamp

- LED 10\*0.5W

- Die-casting aluminum lamp body;
- Opal white PC diffuser;



# WALL LIGHT




**SSK-3116S-9W**




**SSK-3117S-9W**




**SSK-3118S-9W**



**SSK-3116S**



**SSK-3117S**



**SSK-3118S**

### Available Lamp

- LED 18\*0.5W


- Die-casting aluminum lamp body;
- Opal white PC diffuser;




**SSK-3116M-15W**




**SSK-3117M-15W**




**SSK-3116M**



**SSK-3117M**



**SSK-3118M**



**SSK-3119M**



**SSK-3118M-15W**



**SSK-3119M-15W**

### Available Lamp

- LED 30\*0.5W

- Die-casting aluminum lamp body;
- Opal white PC diffuser;



# WALL LIGHT



**SSK-3106L-30W**



**SSK-3107L-30W**



**SSK-3108L-30W**



**SSK-3109L-30W**



**SSK-3106M-18W**




**SSK-3107M-18W**




**SSK-3108M-18W**




**SSK-3109M-18W**




**SSK-3106L**



**SSK-3107L**




**SSK-3108L**




**SSK-3109L**

### Available Lamp


- LED 60\*0.5W




- Die-casting aluminum lamp body;
- Opal white PC diffuser;




**SSK-3106M**



**SSK-3107M**



**SSK-3108M**



**SSK-3109M**

### Available Lamp

- LED 36\*0.5W



- Die-casting aluminum lamp body;
- Opal white PC diffuser;



# WALL LIGHT



**SSK-3106S-3W**




**SSK-3107S-3W**




**SSK-3108S-3W**




**SSK-3109S-3W**




**SSK-3106S**



**SSK-3107S**



**SSK-3108S**



**SSK-3109S**

### Available Lamp

- LED 6\*0.5W

- Die-casting aluminum lamp body;
- Opal white PC diffuser;




**SSK-3305L-9W**



**SSK-3306L-9W**



**SSK-3305L**



**SSK-3306L**



**SSK-3307L**



**SSK-3308L**



**SSK-3307L-9W**



**SSK-3308L-9W**

### Available Lamp

- LED 18\*0.5W

- Die-casting aluminum lamp body;
- Opal white PC diffuser;








**SSK-3055-8W**

## SSK-3055-8W

Available Lamp

- LED 8\*1W (800LM)
- Ra: >80
- Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish





**SSK-3056-8W**

## SSK-3056-8W


Available Lamp

- LED CREE-COB 1\*8W (800LM)
- Ra: >80
- Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish








**SSK-3058-12W**

## SSK-3058-12W

Available Lamp

- LED CREE - COB2\*6W (1200LM)
- Ra: >80
- Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish;
- Anodized aluminum reflector






**SSK-3067-12W**

## SSK-3067-12W

Available Lamp

- LED 1\*12W (1200LM)
- Ra: >80
- Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish








**SSK-3068-6W**


## SSK-3068-6W

Available Lamp

- LED 12\*0.5W  
(600LM)  
Ra: >80  
Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish;
- Anodized aluminum reflector






**SSK-013098-10W**

## SSK-013098-10W

Available Lamp

- LED 20\*0.5W  
(1000LM)  
Ra: >80  
Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish;
- Anodized aluminum reflector








**SSK-3098-10W**

## SSK-3098-10W

Available Lamp

- LED 2\*5W  
(1000LM)
- Ra: >80
- Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish



# STEP LIGHT





## SSK-3508+B-5W

Available Lamp

- LED 10\*0.5W (500LM)

Ra: >80

Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish;
- Plastic recessed box








**SSK-083004+B-5W**

## SSK-083004+B-5W

Available Lamp

- LED 10\*0.5W (500LM)
- Ra: >80
- Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- 304 stainless steel ring
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish;
- Plastic recessed box






**SSK-093004+B-5W**

## SSK-093004+B-5W


Available Lamp

- LED 10\*0.5W (500LM)
- Ra: >80
- Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- 304 stainless steel ring
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish;
- Plastic recessed box





**SSK-10300+B-5W**




## SSK-103004+B-5W

Available Lamp

- LED 10\*0.5W (500LM)

Ra: >80

Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish;
- Plastic recessed box



**SSK-3861+B SG-5W**




## SSK-3861+B SG-5W

Available Lamp

- LED 10\*0.5W (500LM)

Ra: >80

Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Frosted PC diffuser;
- Anti glare, SUS304 ring;
- Silicone rubber gasket;
- Powder coating finish;
- Plastic recessed box





**SSK-3771-6W**



**8W COB**



**6\*1W**



**SSK-3771DZ-6W**



**SSK-3772DZ-6W**





**SSK-3771-6W**



**SSK-3772-8W**

Available Lamp

- LED 1\*8W COB
- LED 6\*1W
- Also available in green color.



- Die-casting aluminum lamp body;
- Tempered glass diffuser;





Available Lamp


- LED 9\*1W



SSK-3741-9W



SSK-3743-9W



- Die-casting aluminum lamp body;
- Tempered glass diffuser;



# GARDEN LIGHT



**SSK-3717-3W**

Available Lamp



- LED 3\*1W



**SSK-3717**



**SSK-3718**



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;



**SSK-3714-3W**

Available Lamp



- LED 3\*1W



**SSK-3713-3W**



**SSK-3714-3W**



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;






**SSK-3613**

### SSK-3613

Available Lamp

- LED 3\*1W



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;




**SSK-3791**

### SSK-3791

Available Lamp

- LED 5\*1W



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;








## SSK-043743

Available Lamp

- LED 1\*15W COB (1500LM)



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish;




SSK - 3005

## SSK-3005

Available Lamp

- LED 1\*12W COB



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;






SSK-013541

SSK - 013541

Available Lamp

- LED 16\*1W



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;




SSK-013543

SSK - 013543

Available Lamp

- LED 16\*1W



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;






## SSK-3275

Available Lamp

- LED 1\*12W CREE COB



SSK-3275


- Die-casting aluminum lamp body;
- Clear PC diffuser;



## SSK-3274

Available Lamp

- LED 1\*12W CREE COB



SSK-3274

- Die-casting aluminum lamp body;
- Clear PC diffuser;








SSK-025081-30-6W

## SSK-025081-30-6W

Available Lamp

- LED 6\*1W (540LM)
- Ra: >80  
 PF: 0.085  
 Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Opal PC diffuser;





SSK-026081-30-6W

## SSK-026081-30-6W

Available Lamp

- LED 6\*1W (540LM)
- Ra: >80  
 PF: 0.085  
 Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Opal PC diffuser;





SSK-3279




SSK-3279

## SSK-3279

Available Lamp

- LED 1\*12W CREE COB



SSK-3280

## SSK-3280

Available Lamp

- LED 1\*12W CREE COB




SSK-3281

## SSK-3281

Available Lamp

- LED 1\*12W CREE COB



- Die-casting aluminum lamp body;
- Clear PC diffuser;




# BOLLARD LIGHT



## SSK-3199

Available Lamp

- LED 5\*1W\*2



- Die-casting aluminum lamp body;
- Tempered clear glass diffuser;




SSK-3199



## SSK-3179

Available Lamp

- LED 1\*10W COB



- Die-casting aluminum lamp body;
- Tempered glass diffuser;



SSK-3179




**SSK-3662**

## SSK-3662

Available Lamp

- LED 1\*3W COB



- Die-casting aluminum lamp body;
- Frosted glass diffuser;




**SSK-3664**

## SSK-3664

Available Lamp

- LED 1\*8W CREE COB



- Die-casting aluminum lamp body;
- Frosted glass diffuser;






## SSK-3164

Available Lamp

- LED 1\*8W CREE COB



- Die-casting aluminum lamp body;
- Frosted glass diffuser;



SSK-3164



## SSK-003235-80-8W




Available Lamp

- LED 16\*0.5W COB (800LM)

Ra: >80

PF: 0.85

Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Clear PC diffuser;






SSK-003235-80-8W



## SSK-013214-80-8W

Available Lamp

- LED 16\*0.5W COB (800LM)
- Ra: >80
- PF: 0.85
- Working Temp.: -15°C~50°C






- Die-casting aluminum lamp body;
- Frosted PC diffuser;



## SSK-013214-30-8W

Available Lamp

- LED 16\*0.5W COB (800LM)
- Ra: >80
- PF: 0.85
- Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Frosted PC diffuser;








## SSK-023214-80-8W

Available Lamp

- LED 16\*0.5W COB (800LM)
- Ra: >80
- PF: 0.85
- Working Temp.: -15°C~50°C






- Die-casting aluminum lamp body;
- Frosted PC diffuser;




## SSK-023214 - 30-8W

Available Lamp

- LED 16\*0.5W COB (800LM)
- Ra: >80
- PF: 0.85
- Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Frosted PC diffuser;








**SSK-03214-SG-8W**

## SSK-03214-SG-8W

Available Lamp

- LED 16\*0.5W COB (800LM)
- Ra: >80
- PF: 0.85
- Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Frosted PC diffuser;






**SSK - 053214-45-8W**

## SSK-053214-45-8W

Available Lamp

- LED 16\*0.5W (800LM)
- Ra: >80
- PF: 0.85
- Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Frosted PC diffuser;






# BOLLARD LIGHT



## SSK-023103RH- 60-8W

Available Lamp

- **LED 1\*8W CREE COB (760LM)**
- Ra: >80**  
**PF: 0.85**  
**Working Temp.:- -15°C~50°C**



- Die-casting aluminum lamp body;
- Tempered glass diffuser;






SSK-3002+B



## SSK-3002+B

Available Lamp

- LED 1\*12W CREE COB (1200LM)



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;




SSK-3575+B-3W



## SSK-3575+B-3W

Available Lamp

- LED 3\*1W



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;






SSK-3642+B-1W

## SSK-3642+B-1W

Available Lamp

- LED 1\*1W



- 304 stainless steel lamp body & cover;
- Transparent, tempered glass diffuser;




SSK - 3641+B

## SSK-3641+B

Available Lamp

- LED 3\*1W



- 304 stainless steel lamp body & cover;
- Transparent, tempered glass diffuser;






## SSK-3670-5W

Available Lamp



- LED 1\*5W COB

Ra: >80


Working Temp.: -15°C~50°C



SSK-3670-5W



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- 304 stainless steel ring;




## SSK-3671-4W

Available Lamp


- LED 4\*1W

Ra: >80

Working Temp.: -15°C~50°C



SSK-3671-4W



- Die-casting aluminum lamp body;
- 304 stainless steel ring
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish;
- Plastic recessed box








## SSK-3672-9W

Available Lamp

- LED 9\*1W



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- 304 stainless steel ring;





## SSK-3673-16W

Available Lamp

- LED 16\*1W

Ra: >80

Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- 304 stainless steel ring;







## SSK-3674-25W

Available Lamp

- LED 25\*1W



SSK-3674-25W



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- 304 stainless steel ring;




## SSK-3583+B-6W

Available Lamp


- LED 6\*1W

Ra: >80

Working Temp.: -15°C~50°C



SSK-3583+B-6W



- Die-casting aluminum lamp body;
- 304 stainless steel ring
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish;
- Plastic recessed box








## SSK-3521+B-10W

Available Lamp

- LED 10\*1W



SSK-3521+B-10W




- Die-casting aluminum lamp body;
- 304 stainless steel ring
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish;
- Plastic recessed box





## SSK-3581+B-15W

Available Lamp

- LED 15\*1W



SSK-3581+B-15W



- Die-casting aluminum lamp body;
- 304 stainless steel ring
- Transparent, tempered glass diffuser;
- Silicone rubber gasket;
- Powder coating finish;
- Plastic recessed box








## SSK-3591+B-25W

Available Lamp

- LED 25\*1W



- Die-casting aluminum lamp body;
- Transparent, tempered glass diffuser;
- 304 stainless steel ring;



## SSK-003702+B-2W




Available Lamp

- LED CREE 1\*2W (200LM)

Ra: >80

PF: 0.85

Working Temp.: -15°C~50°C



- Die-casting aluminum lamp body;
- Clear glass diffuser;
- Silicone rubber gasket;
- Oxide coating finish





**SSK-023705+B-2W**

## SSK-023705+B-2W




Available Lamp

- LED CREE 1\*2W (200LM)


**Ra: >80**

**PF: 0.85**

**Working Temp.:- -15°C~50°C**



- Die-casting aluminum lamp body;
- Clear glass diffuser;
- Silicone rubber gasket;
- Oxide coating finish



**SSK-043705+B-2W**

## SSK-043705+B-2W




Available Lamp

- LED CREE 1\*2W (200LM)

**Ra: >80**

**PF: 0.85**

**Working Temp.:- -15°C~50°C**



- Die-casting aluminum lamp body;
- Clear glass diffuser;
- Silicone rubber gasket;
- Oxide coating finish





**SSK-3633-8W**

## SSK-3633-8W



Available Lamp

- LED 8\*1W

## SSK-3633-3W RGB

Available Lamp

- LED 9\*1W



- Stainless steel body;
- Transparent, tempered glass diffuser;
- Silicone gasket;



Note: All the lights need waterproof step down transformers, input voltage = 12V AC



**SSK-3601-3W**

## SSK-3601-3W



Available Lamp

- LED 3\*1W

## SSK-3601-3W-RGB

Available Lamp

- LED 3\*1W



- Stainless steel body;
- Transparent, tempered glass diffuser;
- Silicone gasket;



Note: All the lights need waterproof step down transformers, input voltage = 12V AC






## SSK-3603S-3W

Available Lamp

- LED 3\*1W



- Stainless steel body;
- Transparent, tempered glass diffuser;
- Silicone gasket;



Note: All the lights need waterproof step down transformers, input voltage = 12V AC





SYSKA LED Lights Pvt. Ltd.

Corp. Office: Syska House, Plot No. - 89/90/91, Survey No. - 232/1/2, Off VIP Airport Road,  
Lane No. - 4, Sakore Nagar, Lohegaon, Pune - 411 014. Toll Free: 1800 102 8787.

Email: [inquiry@syskaled.com](mailto:inquiry@syskaled.com) [www.syskaledlights.com](http://www.syskaledlights.com)